

AGRI-STARTER™

LIQUID POP-UP FOR CORN

WARNING: NOT FOR FOLIAR APPLICATION

GUARANTEED ANALYSIS

Sulfur (S)	3.70%
3.70% Combined Sulfur (S)	
Copper (Cu)	1.00%
1.00% Chelated Copper (Cu)	
Iron (Fe)	1.00%
1.00% Chelated Iron (Fe)	
Manganese (Mn)	1.00%
1.00% Chelated Manganese (Mn)	
Zinc (Zn)	4.50%
4.50% Chelated Zinc (Zn)	

Derived from: Copper Ammonium Citrate, Iron Ammonium Citrate, Manganese Ammonium Citrate and, Zinc Ammonium Citrate.

Agri-Starter is specifically formulated for use in high phosphate materials which are commonly applied in a row as a “Starter” or “Pop-up” fertilizer. **Agri-Starter** is compatible with most 10-34-0 and/or pesticide combinations.

DIRECTIONS FOR USE

Always make a small scale test to assure compatibility in your material. Then add Agri-Starter to partially filled planter tank and complete filling process. A small amount of agitation is suggested for thorough distribution. When mixing in a batch tank, add product to water or nitrogen solution before adding phosphate material.

RECOMMENDED RATES

Broadcast Application

Severe Deficiency	4 qts. per acre
Moderate Deficiency	2 qts. per acre
Maintenance	1 qt. per acre

Row Application: Use at a rate of two quarts per acre as a supplement to broadcast applications, preferably of an inorganic micronutrient source.

CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. Since weather, crop, soil and other conditions may vary, Agri-Business Technologies, Inc. and/or the seller make no warranty of any kind, expressed or implied, concerning the use of this product. The user assumes all risks of use or handling whether or not in accordance with directions or suggestions.

Manufactured For:

agri-B Agri-Business Technologies
 1102 Third Ave, Albany, GA. 31707 • (229) 436-4677
 Net Weight: 50 lbs. (22.68 kg) F1285

WARNING



May cause respiratory irritation

May cause damage to central nervous system through prolonged or repeat exposure

Prevention: Do not breathe vapors, mists or sprays. Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area. Wear protective gloves, chemical splash proof goggles, and face protection.

Response: Get medical attention/advice if you feel unwell.

If on skin (or hair): Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

If Ingested: Rinse mouth. Do NOT induce vomiting. Drink large amounts of water. Never give anything by mouth to an unconscious person. Call doctor or Poison Center.

If Inhaled: Remove person to fresh air and keep comfortable for breathing. Provide artificial respiration if necessary. Get medical attention for any breathing difficulty.

Storage: Store in a well ventilated place. Keep container tightly closed. Store locked up. Store in polyethylene, polypropylene or fiberglass. (See Section 7 of SDS). Store above 28°F.

Disposal: Dispose of contents/containers in accordance with local/regional/national regulations (See Section 13 of SDS). Do not reuse container. Triple rinse containers before disposal.

Keep away from children. Do not contaminate feed, seed or water supplies. Do not expose brass, bronze, aluminum, zinc or their alloys to this product. Read and follow Label directions.